CLAIMS

	•		
		Annorotus	comprising
ı	1.	ADDAIAIUS	COMBINISHIE

- 2 a portable electronic device,
- a digital camera associated with the portable electronic
- 4 device, and
- 5 software configured to run on the portable electronic device
- 6 and to derive handwriting and control information from hand
- 7 motion of a writing instrument in the vicinity of the digital camera.
- 1 2. The apparatus of claim 1 in which the portable electronic
- 2 device comprises a mobile telephone or a personal digital assistant.
- 1 3. The apparatus of claim 1 in which the digital camera is
- 2 attached to the portable electronic device.
- 1 4. The apparatus of claim 1 in which the digital camera is
- 2 incorporated in the portable electronic device.
- 1 5. The apparatus of claim 1 also including an infrared filter
- 2 arranged to filter light being received from the writing instrument.
- 1 6. The apparatus of claim 1 also including a lens arranged to
- 2 alter the focal length and/or depth of field of the digital camera.
- 1 7. The apparatus of claim 1 also including a mechanism
- 2 configured to enable the digital camera to be attached to a writing
- 3 surface.

Attorney Docket 11627-007001

- 1 8. The apparatus of claim 7 in which the mechanism
- 2 comprises a suction device configured for attachment to a white
- 3 board.
- 1 9. The apparatus of claim 7 in which the mechanism
- 2 comprises a clip configured to grasp paper.
- 1 10. The apparatus of claim 7 in which the portable electronic
- 2 device includes a writing surface.
- 1 11. The apparatus of claim 10 in which the writing surface is
- 2 on a protective cover.
- 1 12. The apparatus of claim 1 in which the software is
- 2 configured to define a mapping between a sensor surface in the
- 3 digital camera and a space in which the hand motion is occurring.
- 1 13. The apparatus of claim 1 in which the software is
- 2 configured to define the mapping in response to calibration steps
- 3 that include a user marking three locations in the space in which
- 4 the hand motion is occurring.
- 1 14. The apparatus of claim 1 in which the software is
- 2 configured to derive the location and trajectory of the hand motion.
- 1 15. The apparatus of claim1 in which the software is
- 2 configured to generate the handwriting and control information
- 3 based on processing cycles each associated with one location of the
- 4 writing instrument.
- 1 16. The apparatus of claim 1 in which the software is
- 2 configured to discriminate light received from the writing

- 3 instrument by locking onto a carrier frequency at which light from
- 4 writing instrument is modulated.
- 1 17. The apparatus of claim 1 in which the software is
- 2 configured to determine a tilt of the writing instrument relative to a
- 3 direction normal to a writing surface.
- 1 18. The apparatus of claim 1 in which the portable electronic
- 2 device includes a display and the trajectory of the hand motion is
- 3 shown on the display in real-time.
- 1 19. The apparatus of claim 18 in which the display is not
- 2 touch-sensitive.
- 1 20. The apparatus of claim 1 in which the portable electronic
- 2 device includes a digital signal processing chip and a general
- 3 purpose microprocessor and the software is run in part on the chip
- 4 and in part on the microprocessor.
- 1 21. The apparatus of claim 1 in which the portable electronic
- 2 device includes a wireless communication facility and the software
- 3 is configured to communicate the handwriting and control
- 4 information to a remote location.
- 1 22. The apparatus of claim 1 in which the digital camera is
- 2 configured to receive light that has been reflected from the writing
- 3 instrument.

Attorney Docket 11627-007001

- 1 23. The apparatus of claim 1 in which the digital camera
- 2 comprises a still camera.
- 1 24. The apparatus of claim 1 in which the digital camera
- 2 comprises a video-capable camera.
- 1 25. The apparatus of claim 1 also including an infra-red beacon
- 2 configured to be directed at the writing instrument.
- 1 26. The apparatus of claim 1 in which the software is
- 2 configured to apply pattern recognition to signals from the digital
- 3 camera.
- 1 27. A method comprising
- 2 exposing a sensor of a digital camera to a writing
- 3 instrument that is being subjected to hand motion, and
- 4 in a device associated with the digital camera, processing
- 5 the data to infer handwriting and/or control information based on
- 6 the hand motion.
- 1 28. The method of claim 27 in which the exposing of the
- 2 sensor includes receiving light that originates from light sources on
- 3 the writing instrument.
- 1 29. The method of claim 27 in which the exposing of the
- 2 sensor includes exposing the sensor to a trace or other marking left
- 3 by the writing instrument.
- 1 30. The method of claim 29 in which the trace or other marking
- 2 includes ink selected to increase a signal-to-noise ratio of light
- 3 received by the sensor.

- 1 31. The method of claim 27 in which the exposing of the
- 2 sensor includes processing of an image of a tip of a writing
- 3 instrument.
- 1 32. The method of claim 31 in which the tip of the writing
- 2 instrument is characterized by being of high contrast with the
- 3 environment in which it is used.
- 1 33. The method of claim 27 in which the sensor is exposed to
- 2 hand motion occurring with respect to any arbitrary surface at any
- 3 arbitrary angle.
- 1 34. The method of claim 27 also including
- 2 calibrating the digital camera in a manner to permit
- 3 correctly inferring linear hand motions.
- 1 35. The method of claim 27 also including calibrating the
- 2 processing of data using information derived when the writing
- 3 instrument is touched to at least two points on a writing surface.
- 1 36. The method of claim 27 also including automatically
- 2 switching the digital camera from one format to another by
- 3 coupling the camera, or a device to which it is connected, to
- 4 another mechanism.
- 1 37. The method of claim 27 also including adjusting a tilt
- 2 and/or swivel position of the camera for better coverage of a
- 3 writing surface.
- 1 38. The method of claim 27 in which light sources on the
- 2 writing instrument are operated to enabling filtering of noise and
- 3 interference.

- 1 39. The method of claim 27 in which light sources on the
- 2 writing instrument are sequenced to encode functionality that
- 3 includes at least one of erasing or biometrics of handwriting.
- 1 40. The method of claim 27 in which there are enough light
- 2 sources associated with the writing instrument to prevent loss of
- 3 tracking when one or more of the light sources are blocked.
- 1 41. A method comprising
- 2 using a two-dimensional sensor in a digital camera to
- 3 permit subpixel calculations of a position of a writing instrument
- 4 that is in the field of view of the camera,
- 5 averaging lines, and
- 6 applying an algorithm to derive a final position from the
- 7 averaged lines.

1